

Plants per section - Overview

South

Section 1

| | | | |
|----------------------|----------------------------|-----------|-----------------|
| European wild ginger | <i>Asarum europaeum</i> | Adoxaceae | Muskroot family |
| Bowman's root | <i>Gillenia trifoliata</i> | Rosaceae | Rose family |

Section 2

| | | | |
|------------------------|--------------------------------|----------------|-------------------|
| Common toadflax | <i>Linaria vulgaris</i> | Plantaginaceae | Speedwell family |
| Balloon flower | <i>Platycodon grandiflorum</i> | Campanulaceae | Bellflower family |
| Angular Solomon's seal | <i>Polygonatum odoratum</i> | Asparagaceae | Asparagus family |
| Pedunculate oak | <i>Quercus robur</i> | Fagaceae | Beech family |

Section 3

| | | | |
|------------------|---------------------------|---------------|------------------|
| Common columbine | <i>Aquilegia vulgaris</i> | Ranunculaceae | Buttercup family |
| Quince | <i>Cydonia oblonga</i> | Rosaceae | Rose family |
| Oxlip | <i>Primula elatior</i> | Primulaceae | Primrose family |

Section 4

| | | | |
|--------------|------------------------|---------------|------------------|
| Black cohosh | <i>Actaea racemosa</i> | Ranunculaceae | Buttercup family |
|--------------|------------------------|---------------|------------------|

Section 5

| | | | |
|----------------|---------------------------|---------------|------------------|
| Baneberry | <i>Actaea spicata</i> | Ranunculaceae | Buttercup family |
| Christmas rose | <i>Helleborus niger</i> | Ranunculaceae | Buttercup family |
| Medlar | <i>Mespilus germanica</i> | Rosaceae | Rose family |

Section 6

| | | | |
|-----------------------|---------------------------|------------|-------------------|
| Chinese lantern plant | <i>Physalis alkekengi</i> | Solanaceae | Nightshade family |
|-----------------------|---------------------------|------------|-------------------|

Section 7

| | | | |
|----------------------|---------------------------|--------------|----------------|
| Garden lady's mantle | <i>Alchemilla mollis</i> | Rosaceae | Rose family |
| Common juniper | <i>Juniperus communis</i> | Cupressaceae | Cypress family |

Section 8

| | | | |
|----------------------|--------------------------|----------------|--------------------|
| | <i>Nicotiana tabacum</i> | Solanaceae | Nightshade family |
| Castor bean | <i>Ricinus communis</i> | Euphorbiaceae | Spurge family |
| Devil's bit scabious | <i>Succisa pratensis</i> | Caprifoliaceae | Honeysuckle family |

Section 9

| | | | |
|------------------------------|--------------------------------|------------|--------------|
| Purple coneflower | <i>Echinacea purpurea</i> | Asteraceae | Daisy family |
| Drooping ? star-of-Bethlehem | <i>Ornithogalum umbellatum</i> | Liliaceae | Lily family |

Section 10

| | | | |
|--------------|------------------------------|------------|--------------|
| Pot marigold | <i>Calendula officinalis</i> | Asteraceae | Daisy family |
| Wild basil | <i>Clinopodium vulgare</i> | Lamiaceae | Mint family |
| Cardoon | <i>Cynara cardunculus</i> | Asteraceae | Daisy family |
| Self-heal | <i>Prunella vulgaris</i> | Lamiaceae | Mint family |

Section 11

| | | | |
|------------------|---|---------------|------------------|
| Autumn monkshood | <i>Aconitum carmichaelii 'Arendsii'</i> | Ranunculaceae | Buttercup family |
| Scarlet beebalm | <i>Monarda didyma</i> | Lamiaceae | Mint family |

Section 12

| | | | |
|-------------|-----------------------------|-----------|---------------|
| Hyssop | <i>Hyssopus officinalis</i> | Lamiaceae | Mint family |
| Musk mallow | <i>Malva moschata</i> | Malvaceae | Mallow family |

Section 13

| | | | |
|---------------------|------------------------------|---------------|------------------|
| Common dogwood | <i>Cornus sanguinea</i> | Cornaceae | Dogwood family |
| Ivy-leaved cyclamen | <i>Cyclamen hederifolium</i> | Primulaceae | Primrose family |
| Stinking hellebore | <i>Helleborus foetidus</i> | Ranunculaceae | Buttercup family |
| Lesser periwinkle | <i>Vinca minor</i> | Apocynaceae | Dogbane family |

Section 14

| | | | |
|---------------|---------------------------|-------------|-----------------|
| Wild geranium | <i>Geranium maculatum</i> | Geraniaceae | Geranium family |
|---------------|---------------------------|-------------|-----------------|

Section 15

| | | | |
|-------------------------|--------------------|-------------|------------------|
| Scarlet pimpernel | Anagallis arvensis | Primulaceae | Primrose family |
| Laurel-leaved Rock-rose | Cistus laurifolius | Cistaceae | Rock-rose family |
| Meadow clary | Salvia pratensis | Lamiaceae | Mint family |

Section 16

| | | | |
|----------------------|---------------------------|---------------|--------------------|
| Jack-in-the-pulpit | Arisaema triphyllum | Araceae | Arum family |
| Hart's-tongue fern | Asplenium scolopendrium | Aspleniaceae | Spleenworts family |
| Poison hemlock | Conium maculatum | Apiaceae | Parsley family |
| Goat's rue | Galega officinalis | Fabaceae | Pea family |
| Columbine meadow rue | Thalictrum aquilegifolium | Ranunculaceae | Buttercup family |

Section 17

| | | | |
|------------------|--------------------------|----------------|------------------|
| Blue monkshood | Aconitum napellus | Ranunculaceae | Buttercup family |
| Wood anemone | Anemone nemorosa | Ranunculaceae | Buttercup family |
| Dyer's broom | Genista tinctoria | Fabaceae | Pea family |
| Common buckthorn | Rhamnus catharticus | Rhamnaceae | Buckthorn family |
| Culver's root | Veronicastrum virginicum | Plantaginaceae | Speedwell family |
| Sweet violet | Viola odorata | Violaceae | Violet family |

Section 18

| | | | |
|--------------------------|------------------------|---------------|------------------|
| Garden lady's mantle | Alchemilla mollis | Rosaceae | Rose family |
| Wood anemone | Anemone nemorosa | Ranunculaceae | Buttercup family |
| Hazel | Corylus avellana | Betulaceae | Birch family |
| Chestnut-leaved rogersia | Rodgersia aesculifolia | Saxifragaceae | Saxifrage family |
| Comfrey | Symphytum officinale | Boraginaceae | Borage family |

Section 19

| | | | |
|-----------------|------------------------|---------------|------------------|
| Wood anemone | Anemone nemorosa | Ranunculaceae | Buttercup family |
| Horseradish | Armoracia rusticana | Brassicaceae | Cabbage family |
| Common lungwort | Pulmonaria officinalis | Boraginaceae | Borage family |

Section 20

| | | | |
|---------------------|-----------------------|------------------|---------------------|
| Water avens | Geum rivale | Rosaceae | Rose family |
| Four o'clock flower | Mirabilis jalapa | Nyctaginaceae | Four o'clock family |
| Ribwort plantain | Plantago lanceolata | Plantaginaceae | Speedwell family |
| Hard shield-fern | Polystichum aculeatum | Dryopteridaceae | Wood fern family |
| Figwort | Scrophularia nodosa | Scrophulariaceae | Figwort family |

Section 21

| | | | |
|-------------|-----------------|-----------|-------------|
| Sweet briar | Rosa rubiginosa | Rosaceae | Rose family |
| Clary Sage | Salvia sclarea | Lamiaceae | Mint family |

Section 22

| | | | |
|---------------------|-----------------------|--------------|----------------|
| Common milkweed | Asclepias syriaca | Apocynaceae | Dogbane family |
| Viper's bugloss | Echium vulgare | Boraginaceae | Borage family |
| Yellow sweet clover | Melilotus officinalis | Fabaceae | Pea family |

Section 23

| | | | |
|-----------------|-----------------------|----------|-----------------|
| Garden angelica | Angelica archangelica | Apiaceae | Parsley family |
| Black mulberry | Morus nigra | Moraceae | Mulberry family |

Section 24

| | | | |
|---------------------|-----------------------|------------------|----------------|
| American arnica | Arnica chamissonis | Asteraceae | Daisy family |
| Common chicory | Cichorium intybus | Asteraceae | Daisy family |
| Goldenrod | Solidago virgaurea | Asteraceae | Daisy family |
| Denseflower mullein | Verbascum densiflorum | Scrophulariaceae | Figwort family |

Section 25

| | | | |
|------------------------|----------------------------------|--------------|------------------|
| Lavender | <i>Lavandula angustifolia</i> | Lamiaceae | Mint family |
| Yellow tree peony | <i>Paeonia lutea</i> | Paeoniaceae | Peony family |
| Narrow-leaved lungwort | <i>Pulmonaria montana</i> | Boraginaceae | Borage family |
| Rosa 'Complicata' | <i>Rosa gallica</i> 'Complicata' | Rosaceae | Rose family |
| Reflexed stonecrop | <i>Sedum rupestre</i> | Crassulaceae | Stonecrop family |

Section 26

| | | | |
|------------------------|-----------------------------|-----------------|------------------|
| Dead man's fingers | <i>Decaisnea fargesii</i> | Lardizabalaceae | |
| red barrenwort | <i>Epimedium rubra</i> | Berberidaceae | Barberry family |
| Meadowsweet | <i>Filipendula ulmaria</i> | Rosaceae | Rose family |
| | <i>Narcissus triandrus</i> | Amaryllidaceae | Amaryllis family |
| Angular Solomon's seal | <i>Polygonatum odoratum</i> | Asparagaceae | Asparagus family |

Section 27

| | | | |
|----------------------|---------------------------------|-----------------|------------------|
| Soft shield fern | <i>Polystichum setiferum</i> | Dryopteridaceae | Wood fern family |
| Strawberry saxifrage | <i>Saxifraga stolonifera</i> | Saxifragaceae | Saxifrage family |
| Culver's root | <i>Veronicastrum virginicum</i> | Plantaginaceae | Speedwell family |

Section 28

| | | | |
|----------------------|----------------------------|--------------|--------------------|
| Common lady's mantle | <i>Alchemilla vulgaris</i> | Rosaceae | Rose family |
| Common fumitory | <i>Fumaria officinalis</i> | Papaveraceae | Poppy family |
| Purple loosestrife | <i>Lythrum salicaria</i> | Lythraceae | Loosestrife family |
| Sweet briar | <i>Rosa rubiginosa</i> | Rosaceae | Rose family |

Section 29

| | | | |
|---------------|----------------------------|-----------------|----------------|
| Sneezewort | <i>Achillea ptarmica</i> | Asteraceae | Daisy family |
| Dame's rocket | <i>Hesperis matronalis</i> | Brassicaceae | Cabbage family |
| Elecampane | <i>Inula helenium</i> | Asteraceae | Daisy family |
| Blackcurrant | <i>Ribes nigrum</i> | Grossulariaceae | Currant family |

Center

Section 30

| | | | |
|-------------------|-----------------------------|---------------|-------------------|
| Deadly nightshade | <i>Atropa belladonna</i> | Solanaceae | Nightshade family |
| Mayapple | <i>Podophyllum peltatum</i> | Berberidaceae | Barberry family |
| Cup plant | <i>Silphium perfoliatum</i> | Asteraceae | Daisy family |

Section 31

| | | | |
|-------------------|------------------------------|----------------|-----------------|
| Hemp agrimony | <i>Eupatorium cannabinum</i> | Asteraceae | Daisy family |
| American pokeweed | <i>Phytolacca americana</i> | Phytolaccaceae | Pokeweed family |

Section 32

| | | | |
|--------------|------------------------|-----------|-------------------|
| Sweet flag | <i>Acorus calamus</i> | Acoraceae | Sweet flag family |
| Sweet cicely | <i>Myrrhis odorata</i> | Apiaceae | Parsley family |

Section 33

| | | | |
|-----------------|----------------------------|----------------|---------------------|
| Ramsons | <i>Allium ursinum</i> | Amaryllidaceae | Amaryllis family |
| Norway spruce | <i>Picea abies</i> | Pinaceae | Pine family |
| Common polypody | <i>Polypodium vulgare</i> | Polypodiaceae | Polypod fern family |
| cherry laurel | <i>Prunus laurocerasus</i> | Rosaceae | Rose family |

Section 34

| | | | |
|-------------------|--------------------------------|------------------|------------------|
| Birthwort | <i>Aristolochia clematitis</i> | Aristolochiaceae | Birthwort family |
| Male fern | <i>Dryopteris filix-mas</i> | Dryopteridaceae | Wood fern family |
| Scots pine | <i>Pinus sylvestris</i> | Pinaceae | Pine family |
| Lesser periwinkle | <i>Vinca minor</i> | Apocynaceae | Dogbane family |

Section 35

| | | | |
|----------------|----------------------------|----------------|--------------------|
| Bugle | <i>Ajuga reptans</i> | Lamiaceae | Mint family |
| Garlic mustard | <i>Alliaria petiolata</i> | Brassicaceae | Cabbage family |
| Marsh-mallow | <i>Althaea officinalis</i> | Malvaceae | Mallow family |
| Small teasel | <i>Dipsacus pilosus</i> | Caprifoliaceae | Honeysuckle family |
| Caper spurge | <i>Euphorbia lathyris</i> | Euphorbiaceae | Spurge family |
| Black mulberry | <i>Morus nigra</i> | Moraceae | Mulberry family |

Section 36

| | | | |
|---------------|--------------------|----------|-------------|
| Norway spruce | <i>Picea abies</i> | Pinaceae | Pine family |
|---------------|--------------------|----------|-------------|

Section 37

| | | | |
|-----------------------|-----------------------------|---------------|-----------------|
| Fumewort | <i>Corydalis solida</i> | Papaveraceae | Poppy family |
| Herb-Robert | <i>Geranium robertianum</i> | Geraniaceae | Geranium family |
| Walnut | <i>Juglans regia</i> | Juglandaceae | Walnut family |
| Heavenly bamboo | <i>Nandina domestica</i> | Berberidaceae | Barberry family |
| Black false hellebore | <i>Veratrum nigrum</i> | Melanthiaceae | Trillium family |

Section 38

| | | | |
|-----------------|------------------------------|-----------|----------------|
| Garden angelica | <i>Angelica archangelica</i> | Apiaceae | Parsley family |
| Apple mint | <i>Mentha x rotundifolia</i> | Lamiaceae | Mint family |
| Breckland thyme | <i>Thymus serpyllum</i> | Lamiaceae | Mint family |
| Chasteberry | <i>Vitex agnus-castus</i> | Lamiaceae | Mint family |

Section 39

| | | | |
|----------------------|------------------------------|----------------|--------------------|
| American witch-hazel | <i>Hamamelis virginiana</i> | Hamamelidaceae | Witch-hazel family |
| Lovage | <i>Levisticum officinale</i> | Apiaceae | Parsley family |
| Chinese rhubarb | <i>Rheum palmatum</i> | Polygonaceae | Buckwheat family |

Section 40

| | | | |
|---------------------|---------------------------------|---------------|----------------------|
| Common bearberry | <i>Arctostaphylos uva-ursi</i> | Ericaceae | Heath family |
| Autumn crocus | <i>Colchicum autumnale</i> | Colchicaceae | Autumn-crocus family |
| Horse mint | <i>Mentha longifolia</i> | Lamiaceae | Mint family |
| Herb paris | <i>Paris quadrifolia</i> | Melanthiaceae | Trillium family |
| Alpine rose | <i>Rhododendron ferrugineum</i> | Ericaceae | Heath family |
| Small-leaved linden | <i>Tilia cordata</i> | Malvaceae | Mallow family |

Section 41

| | | | |
|-----------------|-----------------------------|----------------|--------------------|
| Common teasel | <i>Dipsacus fullonum</i> | Caprifoliaceae | Honeysuckle family |
| Manna ash | <i>Fraxinus ornus</i> | Oleaceae | Olive family |
| Motherwort | <i>Leonurus cardiaca</i> | Lamiaceae | Mint family |
| Heavenly bamboo | <i>Nandina domestica</i> | Berberidaceae | Barberry family |
| Mayapple | <i>Podophyllum peltatum</i> | Berberidaceae | Barberry family |
| Dwarf elder | <i>Sambucus ebulus</i> | Adoxaceae | Muskroot family |

Section 42

| | | | |
|------------------|----------------------------|-----------------|--------------------|
| Corn cockle | <i>Agrostemma githago</i> | Caryophyllaceae | Pink family |
| Blue wild indigo | <i>Baptisia australis</i> | Fabaceae | Pea family |
| Spindle tree | <i>Euonymus europaeus</i> | Celastraceae | Bittersweet family |
| Fennel | <i>Foeniculum vulgare</i> | Apiaceae | Parsley family |
| Tormentil | <i>Potentilla erecta</i> | Rosaceae | Rose family |
| Cowslip | <i>Primula veris</i> | Primulaceae | Primrose family |
| Common vervain | <i>Verbena officinalis</i> | Verbenaceae | Verbena family |

Section 43

| | | | |
|-----------------|------------------------------|----------------|--------------------|
| Chives | <i>Allium schoenoprasum</i> | Amaryllidaceae | Amaryllis family |
| Western mugwort | <i>Artemisia ludoviciana</i> | Asteraceae | Daisy family |
| Wood Betony | <i>Stachys officinalis</i> | Lamiaceae | Mint family |
| Valerian | <i>Valeriana officinalis</i> | Caprifoliaceae | Honeysuckle family |

Section 44

| | | | |
|----------------------|--|-----------------|------------------|
| Borage | <i>Borago officinalis</i> | Boraginaceae | Borage family |
| Grecian Foxglove | <i>Digitalis lanata</i> | Plantaginaceae | Speedwell family |
| Mediterranean spurge | <i>Euphorbia cyparissias</i> | Euphorbiaceae | Spurge family |
| | <i>Ocimum basilicum</i> var. <i>purpuras</i> | Lamiaceae | Mint family |
| Spiny restharrow | <i>Ononis repens spinosa</i> | Fabaceae | Pea family |
| Common poppy | <i>Papaver rhoeas</i> | Papaveraceae | Poppy family |
| Pasque flower | <i>Pulsatilla vulgaris</i> | Ranunculaceae | Buttercup family |
| Apothecary's Rose | <i>Rosa gallica</i> 'Officinalis' | Rosaceae | Rose family |
| Soapwort | <i>Saponaria officinalis</i> | Caryophyllaceae | Pink family |
| Blessed milkthistle | <i>Silybum marianum</i> | Asteraceae | Daisy family |
| Wall germander | <i>Teucrium chamaedrys</i> | Lamiaceae | Mint family |

Section 45

| | | | |
|----------------------|--|----------------|--------------------|
| Scarlet pimpernel | <i>Anagallis arvensis</i> | Primulaceae | Primrose family |
| Asparagus | <i>Asparagus officinalis</i> | Asparagaceae | Asparagus family |
| Yellow gentian | <i>Gentiana lutea</i> | Gentianaceae | Gentian family |
| Chamomile | <i>Matricaria chamomilla</i> | Asteraceae | Daisy family |
| Jacob's ladder | <i>Polemonium caeruleum</i> | Polemoniaceae | Phlox family |
| Devil's bit scabious | <i>Succisa pratensis</i> | Caprifoliaceae | Honeysuckle family |
| Yellow Meadow-rue | <i>Thalictrum flavum</i> ssp. <i>glaucum</i> | Ranunculaceae | Buttercup family |
| Foamflower | <i>Tiarella cordifolia</i> | Saxifragaceae | Saxifrage family |
| White swallow-wort | <i>Vincetoxicum hirundinaria</i> | Apocynaceae | Dogbane family |

Section 46

| | | | |
|--------------------|---------------------------------|----------------|--------------------|
| Red orach | <i>Atriplex hortensis rubra</i> | Amaranthaceae | Amaranth family |
| Field scabious | <i>Knautia arvensis</i> | Caprifoliaceae | Honeysuckle family |
| Dense blazing star | <i>Liatris spicata</i> | Asteraceae | Daisy family |
| Tree peony | <i>Paeonia suffruticosa</i> | Paeoniaceae | Peony family |
| Great burnet | <i>Sanguisorba officinalis</i> | Rosaceae | Rose family |
| Winter savory | <i>Satureja montana</i> | Lamiaceae | Mint family |

Section 47

| | | | |
|-------------------|----------------------------|---------------|-------------------|
| Common Hollyhock | <i>Alcea rosea</i> | Malvaceae | Mallow family |
| Southernwood | <i>Artemisia abrotanum</i> | Asteraceae | Daisy family |
| Liquorice | <i>Glycyrrhiza glabra</i> | Fabaceae | Pea family |
| Common madder | <i>Rubia tinctorum</i> | Rubiaceae | Madder family |
| Garden nasturtium | <i>Tropaeolum majus</i> | Tropaeolaceae | Nasturtium family |

Pond island

| | | | |
|--------------------|------------------------------|---------------|--------------------|
| Marsh marigold | <i>Caltha palustris</i> | Ranunculaceae | Buttercup family |
| Yellow flag | <i>Iris pseudacorus</i> | Iridaceae | Iris family |
| Gypsywort | <i>Lycopus europaeus</i> | Lamiaceae | Mint family |
| Purple loosestrife | <i>Lythrum salicaria</i> | Lythraceae | Loosestrife family |
| Water mint | <i>Mentha aquatica</i> | Lamiaceae | Mint family |
| Bogbean | <i>Menyanthes trifoliata</i> | Menyanthaceae | Buckbean family |
| Bog-myrtle | <i>Myrica gale</i> | Myricaceae | Bayberry family |

Pond water

| | | | |
|------------------|-----------------------|-----------|------------------|
| Common stonewort | <i>Chara vulgaris</i> | Characeae | Stonewort family |
|------------------|-----------------------|-----------|------------------|

North

Section 48

| | | | |
|-----------------|------------------------|-----------|---------------|
| Sweet woodruff | <i>Galium odoratum</i> | Rubiaceae | Madder family |
| Pedunculate oak | <i>Quercus robur</i> | Fagaceae | Beech family |
| Raspberry | <i>Rubus idaeus</i> | Rosaceae | Rose family |

Section 49

| | | | |
|-----------------|---------------------------|------------|---------------|
| Butterbur | <i>Petasites hybridus</i> | Asteraceae | Daisy family |
| Stinging nettle | <i>Urtica dioica</i> | Urticaceae | Nettle family |

Section 50

| | | | |
|------------------------|------------------------------|------------------|------------------|
| Elecampane | <i>Inula helenium</i> | Asteraceae | Daisy family |
| Creeping Jenny | <i>Lysimachia nummularia</i> | Primulaceae | Primrose family |
| Angular Solomon's seal | <i>Polygonatum odoratum</i> | Asparagaceae | Asparagus family |
| Dark mullein | <i>Verbascum nigrum</i> | Scrophulariaceae | Figwort family |
| Lesser periwinkle | <i>Vinca minor</i> | Apocynaceae | Dogbane family |

Section 51

| | | | |
|--------------|------------------------|---------------|-------------------|
| Black cohosh | <i>Actaea racemosa</i> | Ranunculaceae | Buttercup family |
| Royal fern | <i>Osmunda regalis</i> | Osmundaceae | Royal Fern Family |
| Elder | <i>Sambucus nigra</i> | Adoxaceae | Muskroot family |

Section 52

| | | | |
|---------------------|-----------------------------|------------|---------------|
| Wormwood | <i>Artemisia absinthium</i> | Asteraceae | Daisy family |
| Joe Pye weed | <i>Eupatorium purpureum</i> | Asteraceae | Daisy family |
| Jerusalem artichoke | <i>Helianthus tuberosus</i> | Asteraceae | Daisy family |
| Hollyhock mallow | <i>Malva alcea</i> | Malvaceae | Mallow family |

Section 53

| | | | |
|-------------------------|------------------------------|---------------|------------------------|
| Cornflower | <i>Centaurea cyanus</i> | Asteraceae | Daisy family |
| Wood avens | <i>Geum urbanum</i> | Rosaceae | Rose family |
| St. John's wort | <i>Hypericum perforatum</i> | Hypericaceae | St. John's-wort family |
| White dead-nettle | <i>Lamium album</i> | Lamiaceae | Mint family |
| Chamomile | <i>Matricaria chamomilla</i> | Asteraceae | Daisy family |
| Love-in-a-mist | <i>Nigella damascena</i> | Ranunculaceae | Buttercup family |
| Common evening-primrose | <i>Oenothera biennis</i> | Onagraceae | Evening-primrose fan |
| Common poppy | <i>Papaver rhoeas</i> | Papaveraceae | Poppy family |
| Feverfew | <i>Tanacetum parthenium</i> | Asteraceae | Daisy family |

Section 54

| | | | |
|----------------|-------------------------------|------------------|-----------------------|
| Horse chestnut | <i>Aesculus hippocastanum</i> | Hippocastanaceae | Horse chestnut family |
| Garlic mustard | <i>Alliaria petiolata</i> | Brassicaceae | Cabbage family |
| Wood avens | <i>Geum urbanum</i> | Rosaceae | Rose family |

Section 55

| | | | |
|--------------|---------------------------|-----------------|-----------------|
| Fig | <i>Ficus carica</i> | Moraceae | Mulberry family |
| Oregon-grape | <i>Mahonia aquifolium</i> | Berberidaceae | Barberry family |
| Red campion | <i>Silene dioica</i> | Caryophyllaceae | Pink family |
| Sweet violet | <i>Viola odorata</i> | Violaceae | Violet family |

Section 56

| | | | |
|-------------------|----------------------------|------------------|----------------|
| Greater Celandine | <i>Chelidonium majus</i> | Papaveraceae | Poppy family |
| Bracken | <i>Pteridium aquilinum</i> | Dennstaedtiaceae | Bracken family |
| Gorse | <i>Ulex europaeus</i> | Fabaceae | Pea family |

Section 57

| | | | |
|-----------------|-------------------------------|------------------|-----------------------|
| Horse chestnut | <i>Aesculus hippocastanum</i> | Hippocastanaceae | Horse chestnut family |
| red barrenwort | <i>Epimedium rubra</i> | Berberidaceae | Barberry family |
| | <i>Narcissus triandrus</i> | Amaryllidaceae | Amaryllis family |
| Common polypody | <i>Polypodium vulgare</i> | Polypodiaceae | Polypod fern family |

Section 58

| | | | |
|---------------------|------------------------------|---------------|------------------|
| Wolfsbane | <i>Aconitum vulparia</i> | Ranunculaceae | Buttercup family |
| Wood anemone | <i>Anemone nemorosa</i> | Ranunculaceae | Buttercup family |
| Lord's and Ladies | <i>Arum maculatum</i> | Araceae | Arum family |
| Goat's beard | <i>Aruncus dioicus</i> | Rosaceae | Rose family |
| Lily of the valley | <i>Convallaria majalis</i> | Asparagaceae | Asparagus family |
| Ivy-leaved cyclamen | <i>Cyclamen hederifolium</i> | Primulaceae | Primrose family |
| Common beech | <i>Fagus sylvatica</i> | Fagaceae | Beech family |
| Sweet woodruff | <i>Galium odoratum</i> | Rubiaceae | Madder family |

Section 59

| | | | |
|-----------------|-----------------------------|----------------|------------------|
| Common foxglove | <i>Digitalis purpurea</i> | Plantaginaceae | Speedwell family |
| Dropwort | <i>Filipendula vulgaris</i> | Rosaceae | Rose family |
| Lemon balm | <i>Melissa officinalis</i> | Lamiaceae | Mint family |
| Silverweed | <i>Potentilla anserina</i> | Rosaceae | Rose family |
| Hedge woundwort | <i>Stachys sylvatica</i> | Lamiaceae | Mint family |

Section 60

| | | | |
|----------------------|--------------------------------|------------|--------------|
| Great Leopard's Bane | <i>Doronicum pardalianches</i> | Asteraceae | Daisy family |
|----------------------|--------------------------------|------------|--------------|

Section 61

| | | | |
|------------|----------------------------|-----------|-------------|
| Blackthorn | <i>Prunus spinosa</i> | Rosaceae | Rose family |
| Wood sage | <i>Teucrium scorodonia</i> | Lamiaceae | Mint family |

Section 62

| | | | |
|-----------------|---------------------------|--------------|---------------|
| Iberian comfrey | <i>Symphytum ibericum</i> | Boraginaceae | Borage family |
|-----------------|---------------------------|--------------|---------------|

Section 63

| | | | |
|-----------------|-------------------------|--------------|------------------|
| Butcher's-broom | <i>Ruscus aculeatus</i> | Asparagaceae | Asparagus family |
|-----------------|-------------------------|--------------|------------------|

Section 64

| | | | |
|------------------------|--------------------------------|---------------|------------------|
| Holly-leaved hellebore | <i>Helleborus argutifolius</i> | Ranunculaceae | Buttercup family |
| Medlar | <i>Mespilus germanica</i> | Rosaceae | Rose family |

Section 65

| | | | |
|--------------------|----------------------------|-------------|-----------------|
| Yellow loosestrife | <i>Lysimachia vulgaris</i> | Primulaceae | Primrose family |
|--------------------|----------------------------|-------------|-----------------|

Section 66

| | | | |
|-----------------|----------------------------|----------|-------------|
| Common agrimony | <i>Agrimonia eupatoria</i> | Rosaceae | Rose family |
|-----------------|----------------------------|----------|-------------|

Section 67

| | | | |
|--------------------|-------------------------------|---------------|--------------------|
| Purple loosestrife | <i>Lythrum salicaria</i> | Lythraceae | Loosestrife family |
| Mandrake | <i>Mandragora officinarum</i> | Solanaceae | Nightshade family |
| Common fleabane | <i>Pulicaria dysenterica</i> | Asteraceae | Daisy family |
| Castor bean | <i>Ricinus communis</i> | Euphorbiaceae | Spurge family |

Section 68

| | | | |
|----------------|----------------------------|--------------|------------------|
| Quince | <i>Cydonia oblonga</i> | Rosaceae | Rose family |
| Oregano | <i>Origanum vulgare</i> | Lamiaceae | Mint family |
| Common bistort | <i>Persicaria bistorta</i> | Polygonaceae | Buckwheat family |
| Tansy | <i>Tanacetum vulgare</i> | Asteraceae | Daisy family |

Section 69

| | | | |
|-----------------|------------------------------|--------------|------------------|
| Ground elder | <i>Aegopodium podagraria</i> | Apiaceae | Parsley family |
| lesser calamint | <i>Calamintha nepeta</i> | Lamiaceae | Mint family |
| Almond | <i>Prunus dulcis</i> | Rosaceae | Rose family |
| Iceplant | <i>Sedum spectabile</i> | Crassulaceae | Stonecrop family |
| Live-forever | <i>Sedum telephium</i> | Crassulaceae | Stonecrop family |

Section 70

| | | | |
|--------------|-------------------------------|------------------|----------------|
| Bearded iris | <i>Iris germanica</i> | Iridaceae | Iris family |
| Rosemary | <i>Rosmarinus officinalis</i> | Lamiaceae | Mint family |
| Common rue | <i>Ruta graveolens</i> | Rutaceae | Rue family |
| Dark mullein | <i>Verbascum nigrum</i> | Scrophulariaceae | Figwort family |

Section 71

| | | | |
|-------------------------|-----------------------------|------------|------------------|
| Laurel-leaved Rock-rose | <i>Cistus laurifolius</i> | Cistaceae | Rock-rose family |
| Curry plant | <i>Helichrysum italicum</i> | Asteraceae | Daisy family |
| Common sage | <i>Salvia officinalis</i> | Lamiaceae | Mint family |

Section 72

| | | | |
|---------------------|--------------------------------|---------------|-------------------|
| Common columbine | <i>Aquilegia vulgaris</i> | Ranunculaceae | Buttercup family |
| Common peony | <i>Paeonia officinalis</i> | Paeoniaceae | Peony family |
| Virginia spiderwort | <i>Tradescantia virginiana</i> | Commelinaceae | Spiderwort family |
| Lesser periwinkle | <i>Vinca minor</i> | Apocynaceae | Dogbane family |
| Sweet violet | <i>Viola odorata</i> | Violaceae | Violet family |

Section 73

| | | | |
|---------------------------|-------------------------|-------------|-----------------|
| Bear's breech | Acanthus balcanicus | Acanthaceae | Acanthus family |
| Goat's beard | Aruncus dioicus | Rosaceae | Rose family |
| Willow-leaved Cotoneaster | Cotoneaster salicifolia | Rosaceae | Rose family |
| Lesser periwinkle | Vinca minor | Apocynaceae | Dogbane family |

Gates

Gate South Southside

| | | | |
|-----|-----------------|-------------|-------------|
| Hop | Humulus lupulus | Cannabaceae | Hemp family |
|-----|-----------------|-------------|-------------|

Gate South Northside

| | | | |
|--------------------|-----------------------|----------------|----------------------|
| White bryony | Bryonia dioica | Cucurbitaceae | Cucumber family |
| Creeping Jenny | Lysimachia nummularia | Primulaceae | Primrose family |
| Blue passionflower | Passiflora caerulea | Passifloraceae | Passionflower family |
| Climbing rose | Rosa 'Nomen nescio' | Rosaceae | Rose family |

Gate Center Southside

| | | | |
|--------------------|-----------------------|----------------|--------------------|
| Old man's beard | Clematis vitalba | Ranunculaceae | Buttercup family |
| Common honeysuckle | Lonicera periclymenum | Caprifoliaceae | Honeysuckle family |

Gate Center Northside

| | | | |
|-----------------|------------------|---------------|------------------|
| Old man's beard | Clematis vitalba | Ranunculaceae | Buttercup family |
|-----------------|------------------|---------------|------------------|

Gate North Southside

| | | | |
|-------------------|----------------------|----------------|--|
| Five-flavor berry | Schisandra chinensis | Schisandraceae | |
|-------------------|----------------------|----------------|--|

Gate North Northside

| | | | |
|-----------------|------------------|---------------|------------------|
| Old man's beard | Clematis vitalba | Ranunculaceae | Buttercup family |
|-----------------|------------------|---------------|------------------|

Hedges

Inner hedges

| | | | |
|-----|--------------------|----------|----------------|
| Box | Buxus sempervirens | Buxaceae | Boxwood family |
|-----|--------------------|----------|----------------|

Outer hedges

| | | | |
|--------------|---------------|----------|------------|
| European yew | Taxus baccata | Taxaceae | Yew family |
|--------------|---------------|----------|------------|

Wandering

Changing locations

| | | | |
|--------------------------|------------------------|----------------|-------------------|
| Jimsonweed | Datura stramonium | Solanaceae | Nightshade family |
| Common foxglove | Digitalis purpurea | Plantaginaceae | Speedwell family |
| Broad-leaved helleborine | Epipactis helleborine | Orchidaceae | Orchid family |
| Common fumitory | Fumaria officinalis | Papaveraceae | Poppy family |
| Lacy phacelia | Phacelia tanacetifolia | Boraginaceae | Borage family |